

Coast Guard Trainee Health Surveillance

Erica Schwartz, MD, MPH LCDR/MC/USPHS Preventive Medicine Officer

Dec 2005



Agenda

- Coast Guard Trainee Programs
- Injury Surveillance
- Febrile Respiratory Illness Surveillance
- Sexually Transmitted Infection Surveillance
- Research Initiatives
- Challenges



CG Trainee Programs

- Cape May, New Jersey
- Enlisted Accession Point
 - Active Duty 8 week program
 - Reserve Basic Indoctrination (REBI) 2 week program
 - Prior Service Training (PSTP) 4 ½ week program
- Goal: ~5110 enlisted recruits (FY 2005)
 - October 417 recruits
 - November 357 recruits
 - December 150 recruits (anticipated)
- Attrition rate ~10%



CG Trainee Programs

Coast Guard Academy

- New London, Connecticut
- Officer Accession Point
 - Academy
 - Officer Candidate School
 - Reserve Officer Candidate School
 - Direct Commission Officer Training
- Goal: ~ 950 cadets (FY 2005)
- Attrition rate ~8%



CG Trainee Programs

Trainee Center Cape May Clinic

- Clinical Services: Dental/ Family Practice/ Optometry/ Physical Therapy/ Psychiatry
- Ancillary Services: Immunizations/ Laboratory / Pharmacy/ Radiology

Coast Guard Academy Clinic

- Clinical Services: Dental/ Family Practice/
 Optometry / Orthopedics/ Podiatry/ Psychiatry
- Ancillary Services: Immunizations/ Laboratory/ Pharmacy/ Radiology
- Swab summer




Injury Surveillance

- Injury surveillance began 1999
- Expanded surveillance in 2004
- Administrative burden / limited support
- Utilize musculoskeletal injury information sheet (completed by corpsman / medical officer)
- Information complied and stored in Access database



FRI Surveillance

- FRI surveillance began in 1999
- Submitted ~950 specimens (~80% adenovirus)





STI Surveillance

- All recruits receive STI education
- All females screened for gonorrhea & chlamydia
- Gonorrhea 0.3% of female recruits
- Chlamydia 3.9% of female recruits
- No long-term follow-up studies on whether STI education is effective



Research Initiatives

 Prevention of lower extremity stress fractures using shock absorbing insoles -TRACEN Cape May

Febrile respiratory illness from adenovirus

at TRA





Challenges

- Limited medical support
- Limited resources
- Limited preventive medicine support
- Limited collaboration w/other training centers